Operation Guide 3517

CASIO®

ENGLISH

You can also find information about operational procedures at the CASIO website.

https://support.casio.com/global/en/wat/model/3517/



EN-1

About This Manual



- Button operations are indicated using the letters shown in the illustration.
- Each section of this manual provides you with the information you need to perform operations in each mode.

Contents

About This Manual	
Watch Features	EN-5
Configuring Time and Date Settings	EN-6
Selecting a Mode	EN-8
Timer Mode	EN-11
Stopwatch Mode	EN-14
Alarm Mode	EN-19
Dual Time Mode	EN-23
Illumination	EN-25
Specifications	FN-26

Procedure Lookup

The following is a handy reference list of all the operational procedures contained in this manual.

To set the time and date	EN-6
To set the countdown start time	EN-11
To use the countdown timer	EN-12
To switch auto repeat timing and the progress beeper on and off	EN-13
To turn the Auto-Start function on and off	EN-16
To set the Target Time and to turn it on and off	EN-17
To set the alarm time	EN-19
To turn the daily alarm and hourly time signal on and off	EN-21
To test the alarm sound	EN-22
To set the Dual Time	EN-23
To turn on illumination	EN-25

Watch Features

- **♦**Timer
- Stopwatch
- ♦Alarm
- ♦ Dual Time


about operational procedures at the CASIO website.



https://support.casio.com/ global/en/wat/model/3517/

EN-4

Configuring Time and Date Settings



To set the time and date

- Hold down (a) while in the Timekeeping Mode until the seconds digits flash on the display because they are selected.
- 2. Press © to change the selection in the following sequence





- 3. While the seconds digits are selected (flashing), press ① to reset the seconds to 00. If you press ① while the seconds count is in the range of 30 to 59, the seconds are reset to 00 and 1 is added to the minutes. If the seconds count is in the range of 00 to 29, the minutes count is unchanged.
- 4. While any other digits (beside seconds) are selected (flashing), press

 to increase the number or

 to to to to the digits (beside seconds) are selected (flashing), press

 to to increase the number or

 to to to to the to the to to to the the to th

 - When the 12-hour format is selected, the indicator P appears on the display to indicate "P.M." times. There is no indicator for "A.M." times.
 The year can be set in the range of 2000 to 2099.


 - The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's battery replaced.

 The day of the week is displayed automatically in accordance with the date (year, month, and day) settings.
- 5. After you set the time and date, press (A) to return to the Timekeeping Mode.

Selecting a Mode

• Press © to change from mode to mode.

• If you do not press any button for a few minutes while making settings in any mode (indicated when settings are flashing), the watch automatically clears the setting screen (settings stop flashing) and returns to the normal display for the mode you



FN-8 FN-9

FN-11

- In any mode, hold down © for at least two seconds to return to the Timekeeping
- In any mode press (L) to illuminate the display.

You can also find information about operational procedures at the CASIO website.

https://support.casio.com/global/en/wat/model/3517/



Timer Mode

Auto repeat on indicator Current time 10:58 15'00 Minutes

The countdown timer can be set within a range of 1 second to 24 hours. When the countdown reaches zero, an alarm sounds for 10 seconds or until you

- Hold down (A) while in the Timer Mode. The hours digits flash on the display because they
- 2. Press © to change the selection in the following



1/10 Seconds

FN-10

- 3. Press ① to increase the selected number or ⑧ to decrease it. Holding down either button changes the selection at high speed.

 Press ⑧ and ⑩ at the same time to clear the starting time to 0:00¹ 00".
 - To set the starting value of the countdown time to 24 hours, set 0:00' 00".
- 4. After you set the countdown start time, press (A) twice to return to the Timer

To use the countdown timer

- Press
 while in the Timer Mode to start the countdown timer
 Press
 again to stop the countdown timer.

- You can resume countdown timer operation by pressing ①.

 Stop the countdown timer and then press ③ to reset the countdown time to its
- When the end of the countdown is reached and auto repeat timing is off, the alarm sounds for 10 seconds or until you stop the alarm by pressing any button. Countdown timing stops and the countdown time is automatically reset to its starting value after the alarm stops.

- To switch auto repeat timing and the progress beeper on and off

 1. Hold down (a) while in the Timer Mode. The hour digits flash on the display because they are selected. Press (a) again to move the flashing to the auto repeat ON/OFF setting.

 2. Press ® or ⊚ to toggle auto repeat on (₺) and off.


 3. Press ® to move the flashing to the progress beeper ON/OFF setting.

 4. Press ® or ⊚ to toggle the progress beeper on (♪) and off.

- Fress (a) to return to the Timer Mode.
 When the end of the countdown is reached while auto repeat is on, the alarm sounds, but the countdown restarts from the beginning without stopping. You can stop the countdown by pressing (i) and manually reset to the start time by
- pressing (a).

 If you set a starting time of 10 seconds or less and have Auto Repeat turned on, the countdown timer tone (which normally sounds for 10 seconds) sounds for only
- When the progress beeper is turned on, the watch beeps as the countdown time passes the 10, 5, 4, 3, 2, and 1-minute marks, and the 50, 40, 30, 20, 10, 5, 4, 3, 2, and 1-second marks.

Stopwatch Mode



The Stopwatch Mode lets you measure elapsed The Stopwatch Mode lets you measure elapsed time, split times, and two finishes. The range of the stopwatch is 23 hour, 59 minutes, 59.99 seconds. You can also have an alarm sound when a target time is reached. The Stopwatch Mode also features an Auto-Start function.

(a) Elapsed time measurement



(c) Split time and two finishes



EN-14 EN-15

With the Auto-Start function, the watch performs a 5-second countdown. When the countdown reaches zero, stopwatch operation starts automatically. During the final three seconds of the countdown, a beeper sounds with each second.


To turn the Auto-Start function on and offWhile the display is showing all zeros in the Stopwatch Mode, press (B) to toggle it

 The indicator **A.START** appears and **05** is shown in the upper display while Auto-Start is turned on. The **A.START** indicator is not shown and the upper part of the display shows the current time when Auto-Start is turned off.

About the Target Time function

With the Target Time function, an alarm sounds for ten seconds whenever the time being kept by the stopwatch reaches a target time you have preset.

To set the Target Time and to turn it on and off



- 1. While the display is showing all zeros in the Stopwatch Mode, hold down (A), and the hour digit of the target time starts to flash because it
- 2. Press © to change the selection in the following sequence.



- 3. Press (D) to increase the selected number or (B) to decrease it. Holding down either button changes the selection at high speed.
 • Press (B) and (D) at the same time to clear the setting to 0:00' 00".


- 4. Press (A) to move the flashing to the target time ON/OFF setting.
- 5. Press (B) or (D) to toggle the target time on and off. 6. Press (A) to return to the Stopwatch Mode.

Important!
The alarm will not sound if you do not turn on the target time.

• Press (A), (C) or (L) to stop the alarm after it starts to sound

Alarm Mode

indicator



When the Daily Alarm is switched on, the alarm sounds for 20 seconds at the preset time each day. Press any button to stop the alarm after it starts to sound. When the Hourly Time Signal is on, the watch beeps every hour on the hour.

- Hold down (A) until the hour digits start to flash on the display. The hour digits flash because they are
- This operation will switch the Daily Alarm on automatically.
- 2. Press © to change the selection in the following



FN-18

- 3. Press ① to increase the selected digits and ⑧ to decrease them. Holding down
- either button changes the selection at high speed.

 The format (12-hour and 24-hour) of the alarm time matches the format you select for regular timekeeping.
- When setting the alarm time using the 12-hour format, take care to set the time correctly as morning (no indicator) or afternoon (P)
- 4. After you set the alarm time, press (A) to return to the Alarm Mode

To turn the daily alarm and hourly time signal on and off

Press ® while in the Alarm Mode to change the status of the daily alarm and hourly time signal in the following sequence.



FN-20 FN-21

To test the alarm sound

Note that pressing B also changes the alarm and the hourly time signal ON/OFF

Note that pressing B also changes the alarm and the hourly time signal ON/OFF

Dual Time Mode

Mode indicator Current time P 10:58 50

The Dual Time Mode lets you keep track of the time in another time zone. You can also select the timekeeping format (12-hour or 24-hour) separately from the Timekeeping Mode.

To set the Dual Time

- Hold down (A) while in the Dual Time Mode. The hour digits flash on the display because they are selected.
- 2. Press © to change the selection in the following sequence.



3. Press 0 to increase the selected digits and 8 to decrease them. Holding down either button changes the selection at high speed.

- After you set the time, press (a) to return to the Dual Time Mode.
 In the Dual Time Mode, the seconds count is synchronized with the seconds count of the Timekeeping Mode.

 In the Dual Time Mode, press

 to toggle between the 12-hour and 24-hour

Illumination



The face of the watch is illuminated for easy reading in

To turn on illumination

In any mode (except when a setting mode, with flashing digits is on the display), press ① to illuminate the display.

- Illumination Precautions

 Illumination may be hard to see when viewed under direct sunlight.
- Illumination turns off automatically whenever an alarm
- sounds.

 Frequent use of illumination runs down the battery.

EN-24 EN-25

Specifications

Accuracy at normal temperature: ±30 seconds a month

Timekeeping: Hour, minute, second, pm (P), day of the week, month, day Time format: 12-hour and 24-hour formats

Calendar system: Full Auto-calendar pre-programmed from the year 2000 to 2099

Measuring unit: 1/10 second

Input range: 1 second to 24 hours
Others: Auto repeat function, progress beeper function

Stopwatch

Measuring unit: 1/100 second Measuring capacity: 23 hours 59 minutes, 59.99 seconds Measuring modes: Elapsed time, split time and two finishes

Others: Target Time Alarm, Auto-Start

Alarm: Daily alarm, hourly time signal

Illumination: LED (light-emitting diode)

Battery: One lithium battery (Type: CR2025) Battery life: 10 years under the following conditions

One 2-second light operation per day
 One 20-second alarm operation per day

Specifications are subject to change without notice.